

TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371

SZY6126P0020US

U.S. APPLICATION NO (IF KNOWN, SEE 37 CFR

Not Yet Assigned 09/856407

INTERNATIONAL APPLICATION NO  
PCT EP 99/08653INTERNATIONAL FILING DATE  
11 NOVEMBER 1999PRIORITY DATE CLAIMED  
19 NOVEMBER 1998

## TITLE OF INVENTION

PLANT ARRANGEMENT WITH A HOLDER FOR OBJECTS THEREIN

APPLICANT(S) FOR DO/EO/US

ANDREAS NEUNER


Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☒ is attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ has been communicated by the International Bureau.
  - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
  - a. ☒ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)). **Unexecuted**
10. ☒ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

## Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☐ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☒ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

(a) Translation Cover Sheet; (b) 7 Pages of Drawings; (c) Copy of PCT/IB/308; (d) Verification of Translation

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.53) <b>097/856407</b> <small>Not Yet Assigned</small>		INTERNATIONAL APPLICATION NO. <b>PCT EP 99/08653</b>	ATTORNEY'S DOCKET NUMBER <b>SZY6126P0020US</b>
24. The following fees are submitted: <b>BASIC NATIONAL FEE ( 37 CFR 1.492 (a) (1) - (5)) :</b> <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... <b>\$1000.00</b> <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$860.00</b> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$710.00</b> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$690.00</b> <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b> <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>			<b>CALCULATIONS PTO USE ONLY</b>          <b>\$860.00</b>
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than _____ <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).			<b>\$0.00</b>
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	15 - 20 =	0	x \$18.00
Independent claims	1 - 3 =	0	x \$80.00
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>			<b>\$0.00</b>
<b>TOTAL OF ABOVE CALCULATIONS =</b>			<b>\$860.00</b>
<input checked="" type="checkbox"/> Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2.			<b>\$430.00</b>
<b>SUBTOTAL =</b>			<b>\$430.00</b>
Processing fee of <b>\$130.00</b> for furnishing the English translation later than _____ <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).			<b>\$0.00</b>
<b>TOTAL NATIONAL FEE =</b>			<b>\$430.00</b>
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>			<b>\$0.00</b>
<b>TOTAL FEES ENCLOSED =</b>			<b>\$430.00</b>
			Amount to be: refunded \$
			charged \$
a. <input checked="" type="checkbox"/> A check in the amount of <b>\$430.00</b> to cover the above fees is enclosed.			
b. <input type="checkbox"/> Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.			
c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <b>04-1644</b> A duplicate copy of this sheet is enclosed.			
d. <input type="checkbox"/> Fees are to be charged to a credit card. <b>WARNING:</b> Information on this form may become public. <b>Credit card information should not be included on this form.</b> Provide credit card information and authorization on PTO-2038.			
<b>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.</b>			
SEND ALL CORRESPONDENCE TO:			
Rockey, Milnamow & Katz, Ltd. Two Prudential Plaza, Suite 4700 180 N. Stetson Avenue Chicago, IL 60601		SIGNATURE  <b>Joel E. Siegel</b> NAME <b>25,440</b> REGISTRATION NUMBER <b>05/17/01</b> DATE	

OFFICE OF THE PATENT AND TRADEMARK OFFICE 25 OCT 2001

Express Mail Mailing Label No. EL904824152US

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Andreas Neuner )  
Serial No.: 09/856,407 )  
Int. Appln. No.: PCT/EP99/08653 )  
I.A. Filing Date: 11 November 1999 )  
Priority Date: 19 November 1998 )  
Atty. Docket No.: SZY6271P0010US )

**PRELIMINARY AMENDMENT**

Box PCT  
Commissioner for Patents  
Washington, D.C. 20231

Sir:

Please amend claims 3, 4, 5, 7, 8, 9, 11, 12, 14, and 15 so as to read as follows:

3. (Amended) The floral arrangement as set forth in claim 2 wherein said item is a gift item.

4. (Amended) The floral arrangement as set forth in claim 1 wherein said supporting rods are made substantially of bright or refined steel wire.

5. (Amended) The floral arrangement as set forth in claim 1 wherein said item is secured to said supporting rod via a fastener in which said supporting rod is inserted.

7. (Amended) The floral arrangement as set forth in claim 5 wherein said item is adhered to an adhesive surface area of said fastener.

8. (Amended) The floral arrangement as set forth in claim 5 wherein said fastener is made substantially of PE.

9. (Amended) A method of configuring a floral arrangement as set forth in claim 1 including an item integrated therein comprising the following steps:

- a) securing said item to a support comprising a plurality of bendable supporting rods held at one end circularly bundled by a common supporting base and
- b) arranging said floral arrangement about said support.

11. (Amended) The method as set forth in claim 9 wherein said support is held in a stand in configuring said floral arrangement.

12. (Amended) A support for items in a floral arrangement as set forth in claim 1 including a bundle of bendable rods firmly bundled together circularly at one end at a common supporting base for securing said items in said floral arrangement.

14. (Amended) The support as set forth in claim 12 wherein said supporting rods are crimped together.

15. (Amended) The support as set forth in claim 12 wherein said supporting rods form a bundle of supporting rods in round or hexagonal cross-section in a hexagonal symmetrical arrangement in cross-section.

Respectfully submitted,

By Allen J. Hoover  
Allen J. Hoover  
Reg. No. 24,103

October 25, 2001

**Version with Markings to Indicate Changes Made**

**Claim 3:** The floral arrangement as set forth in **claim 2** wherein said item is a gift item.

(In the originally filed application: "**as set forth in claims 1 or 2....**")

**Claim 4:** The floral arrangement as set forth in **claim 1** wherein said supporting rods are made substantially of bright or refined steel wire.

(In the originally filed application: "**as set forth in one of the preceding claims ....**")

**Claim 5:** The floral arrangement as set forth in **claim 1** wherein said item is secured to said supporting rod via a fastener in which said supporting rod is inserted.

(In the originally filed application: "**as set forth in one of the preceding claims.....**")

**Claim 7:** The floral arrangement as set forth in **claim 5** wherein said item is adhered to an adhesive surface area of said fastener.

(In the originally filed application: "**as set forth in claims 5 or 6 .....**")

**Claim 8:** The floral arrangement as set forth in **claim 5** wherein said fastener is made substantially of PE.

(In the originally filed application: "**as set forth in claims 5, 6 or 7 .....**")

**Claim 9:** A method of configuring a floral arrangement as set forth in **claim 1** including an item integrated therein comprising the following steps:

- a) securing said item to a support comprising a plurality of bendable supporting rods held at one end circularly bundled by a common supporting base and
- b) arranging said floral arrangement about said support.

(In the originally filed application: "**as set forth in one of the preceding claims.....**")

**Claim 11:** The method as set forth in **claim 9** wherein said support is held in a stand in configuring said floral arrangement.

(In the originally filed application: "**as set forth in claims 9 or 10....**")

A

**Claim 12:** support for items in a floral arrangement as set forth in **claim 1** including a bundle of bendable supporting rods firmly bundled together circularly at one end at a common supporting base for securing said items in said floral arrangement.

(In the originally filed application: "**as set forth in one of the claims 1 - 8 or for using in a procedure as set forth in claims 9 -11.....**")

**Claim 14:** The support as set forth in **claim 12** wherein said supporting rods are crimped together.

(In the originally filed application: "**as set forth in claims 12 or 13.....**")

**Claim 15:** The support as set forth in **claim 12** wherein said supporting rods form a bundle of supporting rods in round or hexagonal cross-section in a hexagonal symmetrical arrangement in cross-section.

(In the originally filed application: "**as set forth in claims 12, 13 or 14.....**")

In the description, the numerals of the paragraphs and the headlines "Background of the Invention", "Summary of the Invention", "Brief Description of the Drawings", "Detailed Description" have been added.

## **Floral Arrangement including an Item Support**

The present invention relates to the configuration of a floral arrangement, especially of a bouquet.

Floral arrangements and bouquets of flowers and other plants are popular means of decoration which are commercially available as arranged by a florist or at home from garden produce and frequently presented as a gift.

The objective of the present invention is based on providing improved technical possibilities of configuring a floral arrangement.

For this purpose there is provided in accordance with the invention a floral arrangement comprising an integrated support for gift items. The support comprises a plurality of bendable supporting rods, circularly bundled and firmly held together at one end by a common supporting base, and at least one gift item secured to one of the supporting rods and held in the floral arrangement by the support.

The invention relates furthermore to a method of configuring one such floral arrangement with the gift item integrated therein in which the gift item is secured to a support comprising a plurality of bendable supporting rods, circularly bundled and firmly held together at one end by a common supporting base and the floral arrangement is arranged around the support.

In conclusion, the invention relates to a corresponding support for gift items in such a floral arrangement including a bundle of bendable supporting rods,

circularly bundled and firmly held together at one end by a common supporting base for securing gift items in the floral arrangement.

The invention thus relates to both products and a method. Accordingly, the following description, including the aspects, is to be understood as implicitly disclosing both categories, even though not expressly emphasized.

The invention pertains, in general, to decorative floral arrangements of all kinds, but preferably to bouquets of flowers. To make for simplicity, the following merely makes reference to bouquets, which is not to be interpreted as being restricted thereto.

The gist of the invention is to permit much more diverse means of configuring bouquets, than hitherto, in finding a much wider and more favorable scope of application by enabling items other than flowers to be secured therein by technically favorable means. "Items" in this context are intended to cover all sorts of items other than flowers that can be arranged and secured to good effect in a bouquet, but especially such articles as, for example, goodies, miniature portions of jam or coffee or other delicacies, miniature bottles of drinks, e.g. hard drinks or sparkling wine, small playthings and typical baby articles, such as pacifiers and the like, indeed all items attractive for decorative reasons or desirable in a gift bouquet as a gift item or having symbolizing content.

Thus, as an alternative to the classic gift hamper the invention now makes it possible, for example, to arrange a smaller and thus more cost-effective variant in the form of a bouquet having added aesthetic appeal whilst also being more handy and easier to transport than a gift hamper; it often being the case that such gift hampers



are motivated more symbolically and need to be filled with a basically unwanted wealth of delicacies.

The classic bouquet presented as a token of gratitude when invited to a party can now be configured more ingenuous and individualized by it being integrated with small "non-floral" presents; this also having the appeal that these small gift items outlast the actual bouquet and are thus appreciated particularly with affection when the all to many flowers, as usually presented at such events, have wilted.

It is also possible that the non-floral gift items may take the form of small scrolls of paper expressing good wishes or a poem, or indeed as a banknote, which can now be presented to much better effect in a bouquet than in an envelope, etc.

In conclusion, bouquets may also be configured in accordance with a particular event, e.g. including small playthings and goodies as a present for children, the bouquet in this context making for added charm. For example, on the occasion of a marriage it is now possible to decorate a bouquet with pacifiers and the like.

Yet another possibility of making use of the invention outside of the gift area is in product presentation. Thus, products up to a critical size intended for presentation in a showroom or offered for sale or presented by a salesman can now be attractively arranged in such a bouquet. This makes for added attention particularly to products which are inherently less decorative and original in thus making them stand out from a large number of items on sale. It is thus conceivable, for example, for representatives for pharmaceutical products when visiting a hospital or physician to extend the products as a token and

Yet another advantage is that the supporting rods of the support are interconnected so that no single supporting

rod is able to twist out of place under the weight of the item secured thereto, in causing the item to slip down to the lowest position attainable by turning of the supporting rod.

In this arrangement the support is configured so that the supporting rods are bendable, i.e. preferably plastically bendable, in thus enabling each supporting rod and thus also the complete support to be adapted individually to the configuration as desired and also to the dimensions of the item to be secured thereto. For this purpose, the supporting rods may be made of wire, plastic-coated wire or the like. Preferred materials for the supporting rods are bright wire or steel wire varnished or refined in some other way, e.g. by copper-plating. Bright steel wire is an inexpensive solution offering high strength. Refining the wire prevents, for example, the water in which the bouquet stands from becoming rusty in appearance, which is, however, of no particular disadvantage. Pure copper wire is less favorable, due to it being too soft and, on the other hand, too expensive. Blued steel, as experience has shown, tends to be incompatible with plants, especially flowers, this applying likewise to galvanized steel. Unlike copper-sheathed steel wire, bright steel wire also has the not unsubstantial advantage nowadays of not being adulterated and thus conducive to recycling. Apart from this, steel is non-toxic for the environment and a raw material involving less energy in product than aluminum, for example.

In accordance with one special aspect of the invention securing the item to the supporting rod is facilitated by a special fastener which by its expansion and shape, on the one hand, offers better means of securing the item and, on the other, comprises a means for connecting to the supporting rod. It is particularly practical when the supporting rod can be inserted in at least two different

directions into the fastener so that the fastener can be fitted by different ways and means geometrically.

One practical variant provides for the fastener having an adhesive surface area to which the item can be simply adhered. The adhesive connection is sufficiently durable and can be undertaken by the florist, housewife or any other person without proving a nuisance in securing a wealth of different items, i.e. in making the attachment as simple as possible in handling the support in accordance with the invention when attaching items to the bouquet. For this purpose, the adhesive surface area may be coated self-adhesive or also serve to secure the item with a double-sided sticky film or pad.

One material preferred for the fastener is polythene which, on the one hand, can be injection-molded at very low cost in practical shapes and, on the other is highly conducive to recycling.

When the plastics material used, for instance a suitable polythene, is relatively soft, there is in addition the advantage of the fastener, especially the adhesive surface area, being flexible in thus enabling it to be adapted to items which are not truly flat. In addition to polythene other soft plastics, including various sorts of rubber come into consideration. When the fastener, which is just as possible, is made of wood, metal or the like, this advantage of flexible adaptation is not available.

Prior to being bent to shape, the support comprises a bundle of rods of elongated shape and preferably oriented substantially in parallel to form, more particularly, a dense bundle of rods in contact with each other lengthwise. In this arrangement, the rods are directly connected to each other at one end. For example, one such support may be held together at one end of the bundle by

a ferrule slipped over the bundle. One particularly simple and effective way of connecting the rods to each other is to crimp the ferrule to the bundle of rods. As an alternative to crimping, among other things, soldering, adhering, welding, twisting, potting are all possible, with or without the ferrule. On the other hand, it is quite possible to also configure the support in accordance with the invention in one piece, the term "secure connection" of the rods as used in the claims including, of course, this case of a one-piece configuration.

One favorable geometry for a dense bundle of rods in contact with each other intended to be held together, for example, by a round ferrule, is a symmetrical arrangement of six rods in cross-section which in turn features a round or hexagonal cross-section. This thus achieves a "hexagonal dense package" so-to-speak, for example including a center rod surrounded by six rods arranged symmetrical thereabout, or also including six further rods arranged between two each outer rods, i.e. totalling thirteen, or also with a total of nineteen rods. In general, however, a support including seven rods is quite sufficient, since it is seldom the case that more than seven items need to be secured thereto. It may, of course, prove useful in some cases to make use of two or more rods for a particularly secure attachment of a single item.

It is, of course, just as conceivable to make use of two or more supports in accordance with the invention for a floral arrangement or bouquet in accordance with the invention and the method for the production thereof.

Furthermore, a ring surrounding the bundle of rods may be provided for sliding up and down thereon to facilitate splaying individual rods from the bundle at some wanted

position lengthwise along the bundle and to additionally hold the bundle together by being shifted to the lowermost position at which a rod is splayed. This ring may be, for example, a tubular piece fabricated from the same type of material as used for the ferrule already desired, for which here again bright steel or copper-plated steel tubing is given preference. To prevent the ring from slipping out of place, and thus to safeguard its location, it may also be made of plastics material or coated with plastics material or lacquered.

When bending the support in configuring the bouquet in and about the support, and when securing the items to the supporting rods, a stand may be used in accordance with the invention for the support which, for example, has a suitable opening to receive the ferrule holding the bundle together. By its standing surface area and own weight the stand is able to hold the support and the bouquet, or it may also be provided with a screw clamp for clamping to a table edge or the like. Preferably, this stand is not a part supplied with each support, it instead being purchased once, for example, by a florist and then made use of subsequently for a large number of bouquets.

In summary, the invention can thus be described as follows: what is involved is a rod assembly for integrating in bouquets and the like as a support for light to medium-weight items such as e.g. gift items secured to the rod assembly, whereby the rod assembly consists of a plurality of single rods bundled together circularly and firmly held together at the bottom end, above which the individual rods can be splayed and bent as required.

The invention will now be detailed by way of a preferred example embodiment as shown in the drawings whereby the

features disclosed may be substantial to the invention singly or also in combinations of that as shown, and in which:

Fig. 1 is a side view of a support in accordance with the invention prior to it being splayed;

Fig. 2 is a plan view of the support as shown in Fig. 1;

Fig. 3 is a view of the support corresponding to that as shown in Fig. 1, but in the splayed condition;

Fig. 4 is again a view of the support corresponding to that as shown in Fig. 1, but here with a ring slipped over the bundle of rods of the support;

Fig. 5 is a view corresponding to that as shown in Fig. 2 but including the ring as shown in Fig. 4;

Fig. 6 is a view corresponding to that as shown in Fig. 3 but including the ring as shown in Fig. 4;

Fig. 7 is a front view of a fastener for the support as shown in Figs. 1 - 6;

Fig. 8 is a plan view of the fastener as shown in Fig. 7;

Fig. 9 is a side view of the fastener as shown in Fig. 7;

Fig. 10 is a side view of a stand for the support as shown in Figs. 1-6;

Fig. 11 is a plan view of the stand as shown in Fig. 10;

Fig. 12 is a front view of an alternative embodiment of a stand for the support as shown in Figs. 1-6;

Fig. 13 is a side view of the stand as shown in Fig. 12;

Fig. 14 is a plan view of the stand as shown in Figs. 12 and 13;

Fig. 15 is a diagrammatic illustration of the support as shown in Figs. 4 - 6 including supporting rods bent to shape and showing items secured to the supporting rods by means of fasteners as shown in Figs. 7-9;

Fig. 16 is an illustration of a bouquet including the support integrated therein as shown in Fig. 15 and items supported in the bouquet by the support.

Referring now to Figs. 1 and 2 there is illustrated the support in accordance with the invention in its simplest basic form, comprising a bundle of rods 2, extending parallel to each other, which are firmly held together by means of a ferrule 3 (not shown in detail) slipped over one end and crimped in place. The connection made by the ferrule 3 prevents any rods 2 from being pulled or twisted out of place. However, the rods 2 may be plastically bent into practical any desired shape from the hexagonal arrangement as shown in Fig. 2 about a central identical round rod 2.

Referring now to Fig. 3 there is illustrated a simple splayed arrangement of the seven rods 2 whereby, of course, any other shape is also achievable in which the ends of the rods 2 end at any other greatly different level by suitably bending or cutting the rods to length.

Referring now to Figs. 4, 5 and 6, corresponding to the Figs. 1, 2 and 3, there is illustrated how a ring 4 can



be slipped over the bundle of rods 2 - as shown in Fig. 6 - to a special level to form a reference edge for splaying the rods 2 from the bundle. In this arrangement it is, of course, just as possible to shift the ring 4 lower down, after having splayed individual rods 2 to then splay further rods 2 at a different reference edge. In any case, however, the ring 4 at the end at which the rods 2 are held together, i.e. the ferrule 3, provides for the next such reference level for holding the bundle of rods 2 together to thus prevent a larger weight at any one rod end from splaying one of the rods 2 more than is desired.

Except for its length the ring 4 corresponds to the ferrule 3 but is not crimped in place and thus can be shifted up and down the rod bundle. The rods 2, ferrule 3 and ring 4 are all made of usual bright steel which, to prevent corrosion, may be lightly oiled.

Due to the hexagonal arrangement a round shape of the bundle of rods 2 is made possible which is easy to hold together by means of a usual tubular piece as ferrule 3. Bundles other than the hexagonal arrangement are of course, just as possible, more particularly cross-sectional shapes of the rods 2 other than round or hexagonal. Thus, the term "circular" bundle always refers in this context to a bundle having an approximately circular cross-section.

Referring now to Figs. 7, 8 and 9 there is illustrated a typical fastener 5 including a large plane adhesive surface area 6 and a peg 7 contacting the adhesive surface area 6 by a flat and featuring two insertion openings 8 and 9 for optional insertion of the rods 2 as shown in Figs. 1 - 6. Due to the insertion hole 9 located parallel to the adhesive surface area 6, the peg 7

comprises a base widened in one direction. The fastener 5 is injection-molded in PE.

Referring now to Fig. 9 there is illustrated a double-sided adhesive pad 10 shaped mainly like the adhesive surface area 6 and made of a flexible foamed material. With the adhesive pad 10 speedy and simple attachment of a great variety of items to the adhesive surface area 6 is possible. The flexibility of the foamed material enables the adhesive pad 10 to adapt to curved surfaces of items to be secured by a special surface area in thus assuring a good adherence. In addition, the fastener 5 illustrated in this case is so soft that it permits adapting to a certain extent to the curvature of the corresponding surface of the item being secured.

Referring now to Figs. 10 and 11 there is illustrated a possible embodiment of a stand 11 for the support as shown. The stand 11 comprises a base plate 12 having four tappings for optional screw assembly to a table top or the like. A tubular piece 13 protrudes upright centrally from the base plate 12, the free inner cross-section of which corresponds to the ferrule 3 as shown in Figs. 1 and 6 with a slight clearance. Thus, when the stand 11 is placed on a table, or is screwed or secured thereto by some other means, the support 1 can be simply inserted with the ferrule 3 into the tubular piece 13 for it to then stand upright securely held in place. This stand 11 too, is a simple metal part which to good effect is painted, although, of course, a plastics material part may be used just as well.

Referring now to Figs. 12, 13 and 14 there is illustrated another variant 14 for a stand comprising a tubular piece 13 for inserting the ferrule 3 of the support 1 corresponding to the stand 11 as shown in Figs. 10 and 11. In this case, however, the tubular piece 13 is

applied to a screw clamp 15 for clamping to the edge of a table in the florist's shop, for example. Thus, as compared to the screw fastener of the stand 11 as shown in Figs. 10 and 11, this makes for a securement which is easier to release and relocate. In this case too, this stand 14 may be made of metal and preferably painted, although, of course, using a plastics material, at least for part of the stand 15, is just as possible.

Referring now to Fig. 15 there is illustrated how use is made of the support 1 in accordance with the invention as shown in Figs. 4 - 6, it being evident how the individual rods 2 of the support 1 have been splayed from the bundle and individually bent to shape at a level as dictated by the ring 4. Attached to the ends of the individual rods 2 are fasteners 5 (not shown in Fig. 15) as evident from Figs. 7, 8 and 9. Various items 16 are adhered to each of the adhesive surface area 6 via adhesive pad 10, these items being in this example miniature packages of delicacies, namely of coffee, chocolate and goodies as well as a miniature bottle of sparkling wine and a miniature glass of honey. Also indicated as a suitable item is a symbolized lucky penny on a magnified scale. It will be appreciated that, of course, any other item may be secured thereto, including gift items having a certain value intended to be presented within a bouquet in a decorative fashion simply by being attached thereto. For example, the support in accordance with the invention could likewise lend itself to securing small tools, electrical appliances, optical articles, etc.

Depending on the shape of each item 16 to be secured and its position in the overall arrangement, a choice can be made between the two insertion openings 8 and 9 of the fastener 5 and by appropriately bending the ends of the support rods in achieving an appealing geometry of the arrangement individually. In doing so, the support 1 is

held in one of the stands 11 and 14 as shown in Figs. 10 to 4 so that both hands are free to work the desired geometrical configuration.

In principle the ensemble as shown in Fig. 15 of the items 16 held by the support 1 in accordance with the invention already makes for a decorative presentation and thus simply using the support 1 fitted out with the items would be enough. However, in referring now to Fig. 16 there is illustrated diagrammatically how this is preferably integrated in a bouquet. For this purpose the support 1 including the portion of the support rods between the ferrule 3 and the ring 4, i.e. the straight portion, is clasped in the bundle of floral stems, whereby for additional support a tie with a cord 18 could be provided, as shown in Fig. 16. Then, above the bundle from the straight portion of the support and floral stems a splayed presentation of the gift items within the floral arrangement materializes in the form of a bouquet 17 adorned with gift items. It is in this way that the bouquet 17 can be presented and also placed in flower vase. Where necessary, use is made of a base corresponding to the stand 11 as shown in Figs. 10 and 11 to steady the bouquet in the vase, although this is not preferred in general due to the base spoiling the effect of the bouquet 17. When the vase is sufficiently narrow-necked, and as long as the arrangement of the items 16 is balanced, the bouquet will remain upright without any further expedients.

**What is claimed is:**

1. A floral arrangement including a support for items comprising a plurality of bendable supporting rods secured at one end circularly bundled by a common supporting base and including at least one item secured to one of said supporting rods and supported by said support in said floral arrangement.
2. The floral arrangement as set forth in claim 1 as a bouquet.
3. The floral arrangement as set forth in claims 1 or 2 wherein said item is a gift item.
4. The floral arrangement as set forth in one of the preceding claims wherein said supporting rods are made substantially of bright or refined steel wire.
5. The floral arrangement as set forth in one of the preceding claims wherein said item is secured to said supporting rod via a fastener in which said supporting rod is inserted.
6. The floral arrangement as set forth in claim 5 wherein said supporting rod is insertable in two different directions into said fastener.
7. The floral arrangement as set forth in claims 5 or 6 wherein said item is adhered to an adhesive surface area of said fastener.
8. The floral arrangement as set forth in claims 5, 6 or 7 wherein said fastener is made substantially of PE.

9. A method of configuring a floral arrangement as set forth in one of the preceding claims including an item integrated therein comprising the following steps:

- a) securing said item to a support comprising a plurality of bendable supporting rods held at one end circularly bundled by a common supporting base and
- b) arranging said floral arrangement about said support.

10. The method as set forth in claim 9 wherein prior to individually bending said support as desired a shiftable ring is shifted to a desired level, resulting in said supporting rods being splayed and subsequently bent to shape from said bundle at the location of said ring.

11. The method as set forth in claims 9 or 10 wherein said support is held in a stand in configuring said floral arrangement.

12. A support for items in a floral arrangement as set forth in one of the claims 1 - 8 or for using in a procedure as set forth in claims 9 - 11 including a bundle of bendable supporting rods firmly bundled together circularly at one end at a common supporting base for securing said items in said floral arrangement.

13. The support as set forth in claim 12 wherein said supporting rods are firmly bundled by a ferrule slipped over the plurality of said supporting rods.

14. The support as set forth in claims 12 or 13 wherein said supporting rods are crimped together.

15. The support as set forth in claims 12, 13 or 14 wherein said supporting rods form a bundle of supporting rods in round or hexagonal cross-section in a hexagonal symmetrical arrangement in cross-section.

### **Abstract**

The invention relates to securing gift items to a bouquet with the aid of a special support, preferably in the form of a wire bundle from which individual wires are splayed and provided with a mounted fastener to which the gift items can be adhered, for example.




Fig. 1




Fig. 2




Fig. 3






Fig. 4




Fig. 5







Fig. 6






Fig. 10







Fig. 11

09/856407



"KNOBLERONE" is coined, fanciful,  
and untranslatable but alludes to  
"Knobloch" meaning "garlic" in German.

"kleiner Honigtraum" means "little  
honey dream" in German.

"Glückspfennig" means "lucky  
penny" in German.

"Bester" means "best" in German.  
"Kaffee" means "coffee" in German.

"Zarte Bitter Tafelschokolade" means  
"soft bitter chocolate" in German.

"Sekt" means "sparkling wine" in German.  
"0,21" is numbering. "KLINKER ZWERG"  
means "klinker midget", a fanciful expression,  
and "trocken" means "dry" in German.

"Latte" means "milk" in Italian (and  
"slat" in German) and "Blaue Herzen"  
means "blue heart" in German. Here  
"blue heart milk" is a fanciful expression.




Fig. 15

"Glückspfennig" means "lucky penny" in German.

"kleiner Honigtraum" means "little honey dream" in German.

"KNOBLERONE" is coined, fanciful, and untranslatable but alludes to "Knobloch" meaning "garlic" in German.

"Latte" means "milk" in Italian (and "slat" in German) and "Blaue Herzen" means "blue heart" in German. Here "blue heart milk" is a fanciful expression.

"Bester" means "best" in German.

"Kaffee" means "coffee" in German.

"Zarte Bitter Tafelschokolade" means "soft bitter chocolate" in German.

"Sekt" means "sparkling wine" in German. "0,21" is numbering. "KLINKER ZWERG" means "klinker midget", a fanciful expression, and "trocken" means "dry" in German.




Fig. 16

<b>DECLARATION AND POWER OF ATTORNEY FOR UTILITY OR DESIGN PATENT APPLICATION</b> (37 CFR 1.63)		Attorney Docket No.:	SZY6126P0020US
		First Named Inventor:	Andreas Neuner
		<i>COMPLETE IF KNOWN</i>	
		Application Number:	
		Filing Date:	5-17-01
		Group Art Unit:	Not Yet Assigned
		Examiner Name:	Not Yet Assigned

As a below-named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed) or an original, first and joint inventor (if plural names are listed) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Plant Arrangement with a Holder for Objects Therein**, the specification of which:

- ☒ is attached hereto; or
- ☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR. 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Numbers	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
298 20 717.6	DE	11/19/1998	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
299 12 749.4	DE	07/21/1999	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- ☐ Additional foreign application numbers are listed on a supplemental priority data sheet attached hereto.

I hereby claim the benefit of any United States application(s) listed below.

Application Number(s)	Filing Date	<input type="checkbox"/> Additional application numbers are listed on a supplemental priority data sheet attached hereto.

The undersigned hereby authorizes the U.S. attorney(s) or agent(s) named herein to accept and follow instructions from the assignee, if any, of the undersigned or from Dr. Dirk Szyuka as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney(s) or agent(s) and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney(s) or agent(s) named herein will be so notified by the undersigned.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Lawrence J. Chapa	Reg. No. 39,135	Martin L. Katz	Reg. No. 25,011	Elaine M. Ramesh	Reg. No. 43,032
Randall T. Erickson	Reg. No. 33,872	Kathleen A. Lyons	Reg. No. 31,852	Keith V. Rockey	Reg. No. 24,713
Stephen D. Geimer	Reg. No. 28,846	John P. Milnamow	Reg. No. 20,635	Thomas I. Ross	Reg. No. 29,275
H. Vincent Harsha	Reg. No. 18,045	Lisa V. Mueller	Reg. No. 38,978	Joel E. Siegel	Reg. No. 25,440
Allen J. Hoover	Reg. No. 24,103	Paul M. Odell	Reg. No. 28,352	Paul M. Vargo	Reg. No. 29,116

whose mailing address for this application is: **ROCKEY, MILNAMOW & KATZ, LTD.**  
Two Prudential Plaza - Suite 4700  
180 North Stetson Avenue  
Chicago, Illinois 60601  
Telephone: (312) 616-5400  
Facsimile: (312) 616-5460

Customer Number (01942)  
and/or Bar Code Label:




I hereby declare that all statements made herein of my knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor: <u>Andreas NEUNER</u>	
Citizenship: <u>German</u>	
Residence: <u>Austrasse 28, D-83646 Bad Tölz</u> <u>DEX</u>	
Post Office Address (if different):	
Signature: <u>[Signature]</u>	Date: <u>15 May 2001</u>
<input type="checkbox"/> A petition has been filed for this unsigned inventor.	



United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

☒ Page(s) 3 of 3 of Declaration <sup>way</sup> were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☐ *Scanned copy is best available.*